Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	33	(versioning near3 (system or architecture or framework)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 13:12
S2	230	(@ad<="20001121" or @rlad<="20001121") and ((back$4 adj out) or (roll$4 adj back) or unmerg$4 or copy or copies) and (version$1 same (concurrent$4 or simultan$5 or parallel or multiple)) and ((file$1 or document$1 or source) near4 merg$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 14:07
S3	38	((revert$4 or back or reload) near4 (previous adj2 version$1)) and (version near4 (control or manag$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 14:18
S4	73	((((@ad<="20001121" or @rlad<="20001121") and ((back$4 adj out) or (roll$4 adj back) or unmerg$4 or copy or copies) and (version$1 same (concurrent$4 or simultan$5 or parallel or multiple)) and ((file$1 or document$1 or source) near4 merg$3)) and (@ad<="20001121" or @rlad<="20001121")) and (version near4 (control or manag$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 13:17
S5	230	((revert$4 near4 (previous adj2 version$1)) or ((file$1 or document$1 or source or version$1 or code) near5 (merg$4 or differenc$3))) and ((((@ad<="20001121" or @rlad<="20001121") and ((back$4 adj out) or (roll$4 adj back) or unmerg$4 or copy or copies) and (version$1 same (concurrent$4 or simultan$5 or parallel or multiple)) and ((file$1 or document$1 or source) near4 merg$3)) and (@ad<="20001121" or @rlad<="20001121"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 14:21

S6	12	(revert$4 near4 (previous adj2 version$1)) and ((file$1 or document$1 or source or version$1 or code) near5 (merg$4 or differenc$3)) and (version near4 (control or manag$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 14:29
S7	12	((revert$4 near4 (previous adj2 version$1)) and ((file$1 or document$1 or source or version$1 or code) near5 (merg$4 or differenc$3)) and (version near4 (control or manag$6))) and ((file$1 or document$1 or source or version$1 or code) near5 (merg$4 or differenc$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 14:28
S8	46	((revert$4 or reload$3 or "cut back") near4 (previous adj2 version$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/14 10:36
S9	10	(((revert$4 or reload$3 or "cut back") near4 (previous adj2 version$1))) and (merg$4) and (version near4 (control or manag$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 14:41
S10	9	(((revert$4 or reload$3 or "cut back") near4 (previous adj2 version$1))) not ((((revert$4 or reload$3 or "cut back") near4 (previous adj2 version$1))) and (merg$4) and (version near4 (control or manag$6))) and (version near4 (control or manag$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 14:46
S11	5	((((revert$4 or reload$3 or "cut back") near4 (previous adj2 version$1))) not ((((revert$4 or reload$3 or "cut back") near4 (previous adj2 version$1))) and (merg$4) and (version near4 (control or manag$6))) and (version near4 (control or manag$6))) and (@ad<="20001121" or @rlad<="20001121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 15:03

| S12 | 60 | ("4558413" \| "4696003" \| "4809170" \| "4819233" \| "4942527" \| "5016170" \| "5172313" \| "5175856" \| "5193180" \| "5212794" \| "5231577" \| "5301270" \| "5303146" \| "5313616" \| "5359710" \| "5386547" \| "5410648" \| "5450586" \| "5452440" \| "5483468" \| "5490097" \| "5513305" \| "5535329" \| "5572671" \| "5574828" \| "5634022" \| "5649200" \| "5664191" \| "5675801" \| "5675802" \| "5689712" \| "5694539" \| "5701139" \| "5729676" \| "5729744" \| "5732212" \| "5732273" \| "5734908" \| "5790778" \| "5790858" \| "5806078" \| "5857071" \| "5860007" \| "5860011" \| "5940617" \| "5960196" \| "5968113" \| "5974391" \| "5974572" \| "5987249" \| "6003143" \| "6016474" \| "6026362" \| "6038538" \| "6038543" \| "6042614" \| "6061518" \| "6074434" \| "6085029" \| "6092050").PN. | USPAT | OR | ON | 2003/07/12 14:45 |

| S13 | 10 | (("4558413" \| "4696003" \| "4809170" \| "4819233" \| "4942527" \| "5016170" \| "5172313" \| "5175856" \| "5193180" \| "5212794" \| "5231577" \| "5301270" \| "5303146" \| "5313616" \| "5359710" \| "5386547" \| "5410648" \| "5450586" \| "5452440" \| "5483468" \| "5490097" \| "5513305" \| "5535329" \| "5572671" \| "5574828" \| "5634022" \| "5649200" \| "5664191" \| "5675801" \| "5675802" \| "5689712" \| "5694539" \| "5701139" \| "5729676" \| "5729744" \| "5732212" \| "5732273" \| "5734908" \| "5790778" \| "5790858" \| "5806078" \| "5857071" \| "5860007" \| "5860011" \| "5940617" \| "5960196" \| "5968113" \| "5974391" \| "5974572" \| "5987249" \| "6003143" \| "6016474" \| "6026362" \| "6038538" \| "6038543" \| "6042614" \| "6061518" \| "6074434" \| "6085029" \| "6092050").PN.) and (version near4 (control or manag$6)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/07/12 14:46 |

S14	5	(((("4558413" | "4696003" | "4809170" | "4819233" | "4942527" | "5016170" | "5172313" | "5175856" | "5193180" | "5212794" | "5231577" | "5301270" | "5303146" | "5313616" | "5359710" | "5386547" | "5410648" | "5450586" | "5452440" | "5483468" | "5490097" | "5513305" | "5535329" | "5572671" | "5574828" | "5634022" | "5649200" | "5664191" | "5675801" | "5675802" | "5689712" | "5694539" | "5701139" | "5729676" | "5729744" | "5732212" | "5732273" | "5734908" | "5790778" | "5790858" | "5806078" | "5857071" | "5860007" | "5860011" | "5940617" | "5960196" | "5968113" | "5974391" | "5974572" | "5987249" | "6003143" | "6016474" | "6026362" | "6038538" | "6038543" | "6042614" | "6061518" | "6074434" | "6085029" | "6092050").PN.) and (version near4 (control or manag$6))) and ((file$1 or document$1) near5 (merg$4 or unmerg$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 15:07
S15	9	((((common or parent or ancestor) adj2 (file or document or copy)) same merg$4) and (version adj4 (control or manag$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 15:03
S16	5	((((common or parent or ancestor) adj2 (file or document or copy)) same merg$4) and (version adj4 (control or manag$6))) and (@ad<="20001121" or @rlad<="20001121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 15:11
S17	22	"4912637".URPN. and ((file$1 or document$1) near5 (merg$4 or unmerg$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 15:07

S18	19	merg$4 and (check$2 adj2 (in and out)) and (version near3 (control or manag$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 15:40
S19	12	(merg$4 and (check$2 adj2 (in and out)) and (version near3 (control or manag$6))) and (@ad<="20001121" or @rlad<="20001121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 15:50
S20	10	(version adj2 (control or manag$6)) and ((file$1 or document$1 or source or text) near3 (merg$4 or delta)) and (((ancestor or parent or common) adj2 (file or copy)) same (differen$4 or compar$4 or merg$4)) and (repository or database or (sub-level$1 or subdivision$1 or hierarch$4 or tree))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 16:04
S21	52	"5574898".URPN.	USPAT	OR	ON	2003/07/12 15:37
S22	3	merg$4 and (check$2 adj2 (in and out)) and (version near3 (control or manag$6)) and "5574898".URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 16:01
S23	38	(((child$3 or copies or sub-level) and (parent or ancestor)) same (file$1 near7 (merg$4 or compar$4 or diff))) and version$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 16:58
S24	9	(((((child$3 or copies or sub-level) and (parent or ancestor)) same (file$1 near7 (merg$4 or compar$4 or diff))) and version$3) not ((US-5623661-$ or US-5557793-$ or US-4558413-$ or US-4714992-$ or US-6366930-$ or US-6088717-$ or US-5729744-$ or US-6393437-$ or US-5828885-$ or US-5649200-$ or US-5600834-$ or US-6546545-$ or US-6256773-$ or US-6513154-$ or US-5974391-$ or US-5675802-$ or US-4809170-$ or US-4912637-$ or US-6532588-$ or US-6349407-$ or US-6195796-$ or US-6182286-$ or US-6457065-$ or US-5826252-$).did. or (US-20010052108-$).did.)) and (@ad<="20001121" or @rlad<="20001121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 17:55

S25	1	merg$4 and (check$2 adj2 (in or out)) and (version near3 (control or manag$6)) and "5481722". URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 16:55
S26	2	versioning and ((file$1 or document$1 or source or text) near3 (merg$4 or delta)) and (((ancestor or parent or common) adj2 (file or copy)) same (differen$4 or compar$4 or merg$4)) and (repository or database or (sub-level$1 or subdivision$1 or hierarch$4 or tree))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 16:05
S27	2	(database or repository) and (check$2 adj2 (in or out)) and (version near3 (control or manag$6)) and ((parent and child) near9 (merg$4 or compar$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 16:14
S28	2	"PVCS" and (version near4 (control or manag$6)) and (check$4 adj3 (in and out))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 16:45
S29	3	(compar$4 near5 (line$1 and character$1)) and merg$4 and (revision$1 near4 (control or manag$6 or synchroni$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 16:49
S30	2	(compar$4 near5 (line$1 and character$1)) and ((merg$4 or compar$4) near4 file$1) and (version$1 near4 (control or manag$6 or synchroni$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 16:51
S31	3	(compar$4 near5 (line$1 and character$1)) and ((merg$4 or compar$4) near4 (file$1 or text or document$1)) and (version$1 near4 (control or manag$6 or synchroni$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 16:52
S32	1	((compar$4 near5 (line$1 and character$1)) and ((merg$4 or compar$4) near4 (file$1 or text or document$1)) and (version$1 near4 (control or manag$6 or synchroni$5))) and (@ad<="20001121" or @rlad<="20001121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 16:53

S33	16379	((file$1 or text$1 or document$1) near6 (compar$4 or match$4 or differen$5 or merg$4)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 16:55
S34	13837	((((file$1 or text$1 or document$1) near6 (compar$4 or match$4 or differen$5 or merg$4)).ab.) and ((file$1 or text$1 or document$1) near6 (compar$4 or differen$5 or merg$4)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:26
S35	7	merg$4 and (check$2 adj2 (in or out)) and (version near3 (control or manag$6)) and (((((file$1 or text$1 or document$1) near6 (compar$4 or match$4 or differen$5 or merg$4)).ab.) and ((file$1 or text$1 or document$1) near6 (compar$4 or differen$5 or merg$4)).ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 16:56
S36	1	((((child$3 or copies or sub-level) and (parent or ancestor)) same (file$1 near7 (merg$4 or compar$4 or diff))) and (merg$4 and (check$2 adj2 (in or out)) and (version near3 (control or manag$6)) and (((((file$1 or text$1 or document$1) near6 (compar$4 or match$4 or differen$5 or merg$4)).ab.) and ((file$1 or text$1 or document$1) near6 (compar$4 or differen$5 or merg$4)).ab.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 16:59
S37	1	((((child$3 or copies or sub-level) and (parent or ancestor)) same ((merg$4 or compar$4 or diff))) and (merg$4 and (check$2 adj2 (in or out)) and (version near3 (control or manag$6)) and (((((file$1 or text$1 or document$1) near6 (compar$4 or match$4 or differen$5 or merg$4)).ab.) and ((file$1 or text$1 or document$1) near6 (compar$4 or differen$5 or merg$4)).ab.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 17:44

S38	6	(((child$3 or copies or line$1) and (parent or ancestor or character$1)) same ((merg$4 or compar$4 or diff))) and ((US-5623661-$ or US-5557793-$ or US-4558413-$ or US-4714992-$ or US-6366930-$ or US-6088717-$ or US-5729744-$ or US-6393437-$ or US-5828885-$ or US-5649200-$ or US-5600834-$ or US-6546545-$ or US-6256773-$ or US-6513154-$ or US-5974391-$ or US-5675802-$ or US-4809170-$ or US-4912637-$ or US-6532588-$ or US-6349407-$ or US-6195796-$ or US-6182286-$ or US-6457065-$ or US-5826252-$ or US-5706510-$ or US-5897642-$).did. or (US-5806078-$ or US-5920873-$ or US-6223343-$ or US-5835601-$ or US-5729743-$ or US-5481722-$ or US-6457170-$ or US-6460052-$ or US-6226652-$ or US-6182121-$ or US-5903897-$ or US-5787444-$).did. or (US-20010052108-$ or US-20010042073-$).did.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 17:14
S39	8	((failure or bug or error or fault) near3 (report$1 or log$1)) and (screen adj2 (shot$1 or capture$1)) and (design adj2 documentation) and (software near3 configuration) and versioning	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 17:40
S40	12	(screen adj2 (capture or shot$1)) same ((output or documentation or merge) adj2 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 17:40
S41	2	((failure or bug or error or fault) near3 (report$1 or log$1)) and ((screen adj2 (capture or shot$1)) same ((output or documentation or merge) adj2 file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 17:34
S42	8	((failure or bug or error or fault) near3 (report$1 or log$1)) and (screen adj2 (shot$1 or capture$1)) and (design adj2 documentation) and (software near3 configuration) and version	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 17:41

S43	39	(US-5623661-$ or US-5557793-$ or US-4558413-$ or US-4714992-$ or US-6366930-$ or US-5729744-$ or US-6393437-$ or US-5828885-$ or US-5649200-$ or US-5600834-$ or US-6546545-$ or US-6256773-$ or US-6513154-$ or US-5675802-$ or US-4809170-$ or US-4912637-$ or US-6532588-$ or US-6349407-$ or US-6195796-$ or US-6182286-$ or US-6457065-$ or US-5826252-$ or US-5706510-$ or US-5897642-$ or US-5806078-$ or US-5920873-$).did. or (US-6223343-$ or US-5835601-$ or US-5729743-$ or US-5481722-$ or US-6457170-$ or US-6460052-$ or US-6226652-$ or US-6182121-$ or US-5903897-$ or US-5787444-$ or US-6237136-$).did. or (US-20010052108-$ or US-20010042073-$).did.	US-PGPUB; USPAT	OR	OFF	2003/07/12 18:21
S44	9	((US-5623661-$ or US-5557793-$ or US-4558413-$ or US-4714992-$ or US-6366930-$ or US-5729744-$ or US-6393437-$ or US-5828885-$ or US-5649200-$ or US-5600834-$ or US-6546545-$ or US-6256773-$ or US-6513154-$ or US-5675802-$ or US-4809170-$ or US-4912637-$ or US-6532588-$ or US-6349407-$ or US-6195796-$ or US-6182286-$ or US-6457065-$ or US-5826252-$ or US-5706510-$ or US-5897642-$ or US-5806078-$ or US-5920873-$).did. or (US-6223343-$ or US-5835601-$ or US-5729743-$ or US-5481722-$ or US-6457170-$ or US-6460052-$ or US-6226652-$ or US-6182121-$ or US-5903897-$ or US-5787444-$ or US-6237136-$).did. or (US-20010052108-$ or US-20010042073-$).did.) and (conflict$1 same merg$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 17:46

S45	3	(((US-5623661-$ or US-5557793-$ or US-4558413-$ or US-4714992-$ or US-6366930-$ or US-5729744-$ or US-6393437-$ or US-5828885-$ or US-5649200-$ or US-5600834-$ or US-6546545-$ or US-6256773-$ or US-6513154-$ or US-5675802-$ or US-4809170-$ or US-4912637-$ or US-6532588-$ or US-6349407-$ or US-6195796-$ or US-6182286-$ or US-6457065-$ or US-5826252-$ or US-5706510-$ or US-5897642-$ or US-5806078-$ or US-5920873-$).did. or (US-6223343-$ or US-5835601-$ or US-5729743-$ or US-5481722-$ or US-6457170-$ or US-6460052-$ or US-6226652-$ or US-6182121-$ or US-5903897-$ or US-5787444-$ or US-6237136-$).did. or (US-20010052108-$ or US-20010042073-$).did.) and (conflict$1 same merg$4)) and ((output or merge) adj2 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 17:48
S46	2	((US-5623661-$ or US-5557793-$ or US-4558413-$ or US-4714992-$ or US-6366930-$ or US-5729744-$ or US-6393437-$ or US-5828885-$ or US-5649200-$ or US-5600834-$ or US-6546545-$ or US-6256773-$ or US-6513154-$ or US-5675802-$ or US-4809170-$ or US-4912637-$ or US-6532588-$ or US-6349407-$ or US-6195796-$ or US-6182286-$ or US-6457065-$ or US-5826252-$ or US-5706510-$ or US-5897642-$ or US-5806078-$ or US-5920873-$).did. or (US-6223343-$ or US-5835601-$ or US-5729743-$ or US-5481722-$ or US-6457170-$ or US-6460052-$ or US-6226652-$ or US-6182121-$ or US-5903897-$ or US-5787444-$ or US-6237136-$).did. or (US-20010052108-$ or US-20010042073-$).did.) and (compar$4 near4 (line$1 or character$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 17:54
S47	57	(file$1 near4 merg$4) and (compar$4 near5 line$1 and (character$1 or paragraph$1)) and version$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 17:55

S48	55	((file$1 near4 merg$4) and (compar$4 near5 line$1 and (character$1 or paragraph$1)) and version$3) and (@ad<="20001121" or @rlad<="20001121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 17:56
S49	3	(((file$1 near4 merg$4) and (compar$4 near5 line$1 and (character$1 or paragraph$1)) and version$3) and (@ad<="20001121" or @rlad<="20001121")) and (checked adj2 (in or out)) and (merg$4 same file$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 17:57
S50	68	"4912637".URPN.	USPAT	OR	ON	2003/07/12 18:23
S51	38	"4912637".URPN. and ((file$1 or text or block$1 or line$1 or docum$4) near4 (merg$4 or compar$4 or reconcil$4))	USPAT	OR	ON	2003/07/12 18:25
S52	28	("4912637".URPN. and ((file$1 or text or block$1 or line$1 or docum$4) near4 (merg$4 or compar$4 or reconcil$4))) not ((US-5623661-$ or US-5557793-$ or US-4558413-$ or US-4714992-$ or US-6366930-$ or US-5729744-$ or US-6393437-$ or US-5828885-$ or US-5649200-$ or US-5600834-$ or US-6546545-$ or US-6256773-$ or US-6513154-$ or US-5675802-$ or US-4809170-$ or US-4912637-$ or US-6532588-$ or US-6349407-$ or US-6195796-$ or US-6182286-$ or US-6457065-$ or US-5826252-$ or US-5706510-$ or US-5897642-$ or US-5806078-$ or US-5920873-$).did. or (US-6223343-$ or US-5835601-$ or US-5729743-$ or US-5481722-$ or US-6457170-$ or US-6460052-$ or US-6226652-$ or US-6182121-$ or US-5903897-$ or US-5787444-$ or US-6237136-$).did. or (US-20010052108-$ or US-20010042073-$).did.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 18:26

| S53 | 12 | (("4912637".URPN. and ((file$1 or text or block$1 or line$1 or docum$4) near4 (merg$4 or compar$4 or reconcil$4))) not ((US-5623661-$ or US-5557793-$ or US-4558413-$ or US-4714992-$ or US-6366930-$ or US-5729744-$ or US-6393437-$ or US-5828885-$ or US-5649200-$ or US-5600834-$ or US-6546545-$ or US-6256773-$ or US-6513154-$ or US-5675802-$ or US-4809170-$ or US-4912637-$ or US-6532588-$ or US-6349407-$ or US-6195796-$ or US-6182286-$ or US-6457065-$ or US-5826252-$ or US-5706510-$ or US-5897642-$ or US-5806078-$ or US-5920873-$).did. or (US-6223343-$ or US-5835601-$ or US-5729743-$ or US-5481722-$ or US-6457170-$ or US-6460052-$ or US-6226652-$ or US-6182121-$ or US-5903897-$ or US-5787444-$ or US-6237136-$).did. or (US-20010052108-$ or US-20010042073-$).did.)) and (report or log$1 or ((snap or screen) adj2 (capture$1 or shot$1))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/07/12 18:36 |

S54	2	(("4912637".URPN. and ((file$1 or text or block$1 or line$1 or docum$4) near4 (merg$4 or compar$4 or reconcil$4))) not ((US-5623661-$ or US-5557793-$ or US-4558413-$ or US-4714992-$ or US-6366930-$ or US-5729744-$ or US-6393437-$ or US-5828885-$ or US-5649200-$ or US-5600834-$ or US-6546545-$ or US-6256773-$ or US-6513154-$ or US-5675802-$ or US-4809170-$ or US-4912637-$ or US-6532588-$ or US-6349407-$ or US-6195796-$ or US-6182286-$ or US-6457065-$ or US-5826252-$ or US-5706510-$ or US-5897642-$ or US-5806078-$ or US-5920873-$).did. or (US-6223343-$ or US-5835601-$ or US-5729743-$ or US-5481722-$ or US-6457170-$ or US-6460052-$ or US-6226652-$ or US-6182121-$ or US-5903897-$ or US-5787444-$ or US-6237136-$).did. or (US-20010052108-$ or US-20010042073-$).did.)) and snapshot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 18:37
S55	3	(associat$4 or link$4 or includ$4 or retriev$4) near7 (versioned and non-versioned)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 18:57
S56	2	((merg$4 and enlist$4 or gather$4 or assembl$4 or synchron$5) near5 (version$1 or file$1)) same (built near4 (environment or directory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/12 19:18

S57	6	((US-5623661-$ or US-5557793-$ or US-4558413-$ or US-4714992-$ or US-6366930-$ or US-5729744-$ or US-6393437-$ or US-5828885-$ or US-5649200-$ or US-5600834-$ or US-6546545-$ or US-6256773-$ or US-6513154-$ or US-5675802-$ or US-4809170-$ or US-4912637-$ or US-6532588-$ or US-6349407-$ or US-6195796-$ or US-6182286-$ or US-6457065-$ or US-5826252-$ or US-5706510-$ or US-5897642-$ or US-5806078-$ or US-5920873-$).did. or (US-6223343-$ or US-5835601-$ or US-5729743-$ or US-5481722-$ or US-6457170-$ or US-6460052-$ or US-6226652-$ or US-6182121-$ or US-5903897-$ or US-5787444-$ or US-6237136-$).did. or (US-20010052108-$ or US-20010042073-$).did.) and (configuration adj2 (file or template or directory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/14 10:35
S58	2689	((717/101,121-122,124-126,170) or (707/201-203) or (715/511)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/14 10:35
S59	4	((revert$4 or reload$3 or "cut back") near4 (previous adj2 version$1)) and ((US-6546545-$ or US-6513154-$ or US-6256773-$ or US-5806078-$ or US-5729744-$ or US-5675802-$ or US-5649200-$ or US-4809170-$ or US-4558413-$ or US-6457065-$ or US-5826252-$ or US-4912637-$ or US-6460052-$ or US-6457170-$ or US-6349407-$ or US-6195795-$ or US-6182286-$ or US-5897642-$ or US-5706510-$ or US-5481722-$ or US-6226652-$ or US-6182121-$ or US-6223343-$ or US-6393437-$ or US-6237136-$ or US-6532588-$).did. or (US-5835601-$ or US-6195796-$ or US-5920873-$ or US-5903897-$ or US-5828885-$ or US-5787444-$ or US-5729743-$ or US-5623661-$ or US-5600834-$ or US-5557793-$ or US-4714992-$ or US-5671428-$).did. or (US-20010052108-$ or US-20010042073-$).did.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/14 10:36

S60	6	((compar$5 adj3 children) near5 (parent)) and (reconciliat$4 or synchroniz$5 or merg$4) and (versioned or (version))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/11 08:17
S13 3	252	((maintain$4 or persist$5 or preserv$4 or record$3 or history or sav$3) adj2 (change or delta or modification)) and (version$3.ab. and version$4.clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 16:38
S13 4	456	((maintain$4 or persist$5 or preserv$4 or record$3 or history or sav$3) near4 (change or delta or modification)) and (version$3. ab. and version$4.clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:34
S13 5	70	S134 and (software near2 (develop$6 or maintenance or management or engineering)) and merg$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 13:24
S13 6	16	(@ad<="20001121" or @rlad<="20001121") and (((back$4 adj out) or (roll$4 adj back) or unmerg$4) and (version$1 same (concurrent$4 or simultan$5 or parallel or multiple))) and ((file$1 or document$1 or source) near4 merg$3) and (version near4 (control or manag$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 13:36
S13 7	37	(@ad<="20001121" or @rlad<="20001121") and (((back$4 adj out) or (roll$4 adj back) or unmerg$4) and (version$1 same (concurrent$4 or simultan$5 or parallel or multiple))) and ((file$1 or document$1 or source or version) near4 merg$3) and (version same (control or synchron$5 or manag$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 13:22
S13 8	4	S134 and S137	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 13:22
S13 9	296	(@ad<="20001121" or @rlad<="20001121") and S134 not Microsoft.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 13:30

S14 0	1086	build and (software near9 (develop$6 or maintenance or management or engineering or version)) and (merg$4 or synchroni$6) and ((file or set or record or table) adj2 (delta or changes))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 13:27
S14 1	3474	build and (version near4 (merg$4 or control or maintenance or synchron$6 or management or compar$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 13:30
S14 2	786	S140 and (@ad<="20001121" or @rlad<="20001121") not Microsoft.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:27
S14 3	2388	S141 and (@ad<="20001121" or @rlad<="20001121") not Microsoft.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:28
S14 4	23	(S140 or S141) and Microsoft.as. and (@ad<="19991121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 13:35
S14 5	28	(S142 or S143) and S134 and (@rlad<="20001121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 13:34
S14 6	4	(S140 or S141) and Microsoft.as. and (@pd<="19991121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 13:35
S14 7	23	(@ad<="20001121" or @rlad<="20001121") and S144	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 13:36
S14 8	7	(@pd<="20001121" or @rlad<="20001121") and S144	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 13:36
S14 9	76	("5742829").URPN.	USPAT	OR	ON	2004/11/24 13:42
S15 0	6	S149 and S141	USPAT	OR	ON	2004/11/24 14:39

S15 1	16	S149 and (version near3 (manag$6 or control))	USPAT	OR	ON	2004/11/24 15:22
S15 3	85	(((develop$6 or build) same (application or Java or beans or software or code)) and (version near5 (control or manage$6 or synchroni$4 or updat$4 or merg$4)) and (((check$3 adj out) and developer) same (copy or file))	USPAT	OR	ON	2004/11/24 16:57
S15 4	85	S153 and ((@ad<="20001121" or @rlad<="20001121"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 16:57
S15 5	1	S154 and (Microsoft.as. and @pd<="19991121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 16:50
S15 6	76	("5742829").URPN.	USPAT	OR	ON	2004/11/24 16:27
S15 8	161	(change or (check$2 adj out)) and ((load$4 or fetch or retriev$4 or enlist$4 or add$5) near2 (component or file or module or object) near5 build) and version$5	USPAT	OR	ON	2004/11/24 16:30
S15 9	1	S158 and ((Microsoft.as. and @pd<="19991121"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 16:31
S16 0	158	S158 and ((@ad<="20001121" or @rlad<="20001121") not Microsoft.as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 16:33
S16 1	12	("5854932").URPN.	USPAT	OR	ON	2004/11/24 16:33
S16 2	11	S161 and ((@ad<="20001121" or @rlad<="20001121") not Microsoft.as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 16:34
S16 3	1278	(@ad<="20001121" or @rlad<="20001121") and version and merg$5 and (build same (list or add$4)) and (match$4 or compar$4 or difference) and (delta or changes or check-out)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 16:56

S16 4	341	S163 and (S142 or S143)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 16:39
S16 5	18	S163 and (S139 or S135)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 16:39
S16 6	20	((version near8 (control or merg$4)) and build).clm. or ((version near8 (control or merg$4)) and build).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 17:00
S16 7	17	(@ad<="20001121" or @rlad<="20001121") and S166	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 16:56
S16 8	50	S164 and S153	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 16:57
S17 0	167	((version near8 (control or merg$4)) and build) and S164	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 17:01
S17 1	45	((version near8 (control or merg$4)) and build) and S168	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 17:05
S17 2	1	S170 and S171 and S167	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 17:02
S17 3	14	("5243519" | "5251130" | "5307265" | "5416903" | "5499335" | "5583761" | "5664206" | "5675818" | "5678039" | "5729744" | "5734899" | "5787452" | "5900871" | "5907326").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/24 17:03
S17 4	3	((version near8 (control or merg$4)) and build) and S173	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 17:05

S17 5	2	"5903897".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:07
S17 8	12550	(word and character and line) same (compar$6 or match$4 or diff$6 or merg$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 17:36
S17 9	16517	(((file$1 or text$1 or document$1) near6 (compar$4 or match$4 or differen$5 or merg$4)).ab.) and ((file$1 or text$1 or document$1) near6 (compar$4 or differen$5 or merg$4)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:37
S18 0	1090	build and (software near9 (develop$6 or maintenance or management or engineering or version)) and (merg$4 or synchroni$6) and ((file or set or record or table) adj2 (delta or changes))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:27
S18 1	786	S180 and (@ad<="20001121" or @rlad<="20001121") not Microsoft.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:27
S18 2	3481	build and (version near4 (merg$4 or control or maintenance or synchron$6 or management or compar$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:29
S18 3	2390	S182 and (@ad<="20001121" or @rlad<="20001121") not Microsoft.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:29
S18 4	187	S178 and (S182 or S183) and (@ad<="20001121" or @rlad<="20001121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 17:37
S18 5	302	S178 and (S179 or S181) and (@ad<="20001121" or @rlad<="20001121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:35

S186	1	S184 and S185 and (merge near4 (output or document or file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:32
S187	456	((maintain$4 or persist$5 or preserv$4 or record$3 or history or sav$3) near4 (change or delta or modification)) and (version$3. ab. and version$4.clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:34
S188	66	S187 and (S182 or S183) and (@ad<="20001121" or @rlad<="20001121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:35
S189	52	S187 and (S179 or S181) and (@ad<="20001121" or @rlad<="20001121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:35
S190	29	S188 and S189	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:38
S191	1	S178 and S190	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:36
S192	5	S184 and (S188 or S189)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:37
S193	4	S185 and (S188 or S189)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:37
S194	1	S192 and S193	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:38
S198	2	"6367077".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:42

S199	2	"5903897".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 15:04
S200	49	(US-20010042073-$ or US-20010052108-$ or US-20020129352-$).did. or (US-4558413-$ or US-4714992-$ or US-4809170-$ or US-4912637-$ or US-5481722-$ or US-5557793-$ or US-5600834-$ or US-5623661-$ or US-5649200-$ or US-5671428-$ or US-5675802-$ or US-5678039-$ or US-5706510-$ or US-5729743-$ or US-5729744-$ or US-5734899-$ or US-5742829-$ or US-5787444-$ or US-5806078-$ or US-5826252-$ or US-5828885-$ or US-5835601-$ or US-5854932-$ or US-5897642-$ or US-5903897-$ or US-5920873-$).did. or (US-6182121-$ or US-6182286-$ or US-6195795-$ or US-6195796-$ or US-6223343-$ or US-6226652-$ or US-6237136-$ or US-6256773-$ or US-6298478-$ or US-6349407-$ or US-6367077-$ or US-6393437-$ or US-6418554-$ or US-6442516-$ or US-6457065-$ or US-6457170-$ or US-6460052-$ or US-6513154-$ or US-6532588-$ or US-6546545-$).did.	US-PGPUB; USPAT	OR	ON	2004/11/27 17:06
S201	8	S200 and (snapshot or ((screen or snap) adj2 (capture or shot)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 17:08
S202	7	S201 and (test or debug) and (build or (version near5 control))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 17:08
S203	12550	(word and character and line) same (compar$6 or match$4 or diff$6 or merg$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 17:37
S204	3481	build and (version near4 (merg$4 or control or maintenance or synchron$6 or management or compar$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 17:37

S20 5	2390	S204 and (@ad<="20001121" or @rlad<="20001121") not Microsoft.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 18:53
S20 6	187	S203 and (S204 or S205) and (@ad<="20001121" or @rlad<="20001121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 19:03
S20 7	4	S200 and S206	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 17:55
S20 8	2	S200 and (compar$4 same parent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 18:48
S20 9	249	(S204 or S205 or S206 or S207) and ((line and (compar$4 or match$4)) same word)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 18:47
S21 0	3	S200 and S209	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 18:50
S21 1	428	((document or text or file or line) near6 (merg$3 or compar$4)) same ((character or word) near3 (level or partition or division or subdivi$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 18:53
S21 2	334	S211 and (@ad<="20001121" or @rlad<="20001121") not Microsoft.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 18:53
S21 3	1	S212 and S204	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 18:54
S21 4	35	S212 and S203	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 19:01

S21 5	33	(character-based or word-based) near8 (compar$5 or merg$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 19:02
S21 6	2431	(S204 or S205) and (@ad<="20001121" or @rlad<="20001121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 19:03
S21 7	1358	"33" and S216	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 19:03
S21 8	1	S215 and S216	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 19:05
S21 9	7	S212 and "33" and (version same (control or manag$5 or merg$4 or synchroni$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 19:07
S22 0	12	(S212 or S215) and (version same (control or manag$5 or merg$4 or synchroni$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 19:09
S22 1	649	(match$4 or compar$5) near8 (line and word and character)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 19:10
S22 2	11	S221 and S212	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/27 19:10